



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

ddress: COMMISSIONER FOR PATENTS	
P.O. Box 1450	
Alexandria, Virginia 22313-1450	
www.uspto.gov	

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
08/926,882	09/10/1997	SHIGEO YAMAGATA	B208-062-DIV	7670
26272	7590 04/07/2005		EXAMINER	
COWAN LIEBOWITZ & LATMAN P.C		TRAN, THAI Q		
JOHN J TORI	·		ART UNIT	PAPER NUMBER
	THE AMERICAS			TATER NOMBER
	THE AMERICAS		2616	
NEW YORK, NY 10017			DATE MAILED: 04/07/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	· · · · · · · · · · · · · · · · · · ·		
	Application No.	Applicant(s)	
Office Action Summer:	08/926,882	YAMAGATA ET AL.	
Office Action Summary	Examiner	Art Unit	
TI MANUNO DATE AND	Thai Tran	2616	
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is tess than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be timed within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE!	ely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 18 Oc	ctober 2004.		
	action is non-final.		
3) Since this application is in condition for allowar closed in accordance with the practice under E			
Disposition of Claims			
4) ☐ Claim(s) 38-44 and 49-55 is/are pending in the 4a) Of the above claim(s) 38-44 is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 49-55 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	n from consideration.		
Application Papers			
9) The specification is objected to by the Examine	r.		
10) The drawing(s) filed on is/are: a) acce	epted or b) \square objected to by the E	xaminer.	
Applicant may not request that any objection to the	- · ·	• •	
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Ex			
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been receive I (PCT Rule 17.2(a)).	on No. <u>08/271,230</u> . d in this National Stage	
Attachment(s)	∆ □ t-t 1	(DTO 440)	
1) U Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) LInterview Summary Paper No(s)/Mail Da		
Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		atent Application (PTO-152)	

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on Oct. 18, 2004 has been entered.

Response to Arguments

2. Applicant's arguments filed Oct. 18, 2004 have been fully considered but they are not persuasive.

In re pages 4-8, applicants argue that the Shimada et al patent does not teach or suggest a superimposing means having a first mode in which first type data contained in the ID data is superimposed with the image information, and a second mode in which the first type data and second type data contained in the ID data are both superimposed with the image information, wherein the position at which the first type data is superimposed on a display screen of the display device in the first mode and the position at which the first type data is superimposed on the display screen in the second mode are different from each other in a reproducing mode for reproducing the image information and the ID data and does not teach or suggest a control means for changing the superimposing position on a display screen of the character information superimposed by the superimposing means according to a display mode, wherein the

control means vary, depending on the display mode, the position at which the character information is displayed, even when the character information is not changed in a reproducing mode for reproducing the information signal and the ID information because the cited portion, column 3, lines 7-11 of Shimada et al discloses that the operator's command controls the position at which the character video signal is inserted on the tape and there is nothing taught or suggested in the Shimada et al patent of controlling the position of the character signal on the display screen as required by claims 49, 51, 54 and 55.

In response, the examiner respectfully disagrees. As recognized by applicants that the portion, column 3, lines 7-11 of Shimada discloses that the operator's command controls the position at which the character video signal is inserted on the tape during a recording mode not in a reproducing mode for reproducing the image information and the ID data on a display screen. The **operator's command controlling** the position at which the character video signal is inserted on the tape **during a recoding mode disclosed in column 3, lines 7-11 would determine the position** of the character signal on the display screen during reproducing mode. Thus, the operator's command disclosed in col. 3, lines 7-11 of Shimada et al would control the position of the character signal on the display screen.

Additionally, as previously discussed, Shimada et al discloses in col. 4, lines 1-12 that DATA 1 is recorded in mode "01" and DATA 1 and DATA 2 are recorded in mode "11". The amount of DATA1 in mode "01" and DATA 1 and DATA 2 in modes "11" are different. The examiner believes that the position at which the data of the first type

Art Unit: 2616

(DATA 1 in mode "01") is superimposed on a display screen in the first mode and the position at which the data of the first type (DATA 1 and DATA 2 in mode "11") is superimposed on a display screen in the second mode are different from each other because the amount of data (DATA 1 in mode "01" and DATA 1 and DATA 2 in mode "11") in two modes (mode "01" and mode "11") are different. Thus, Shimada et al does indeed disclose all the limitations as required by claims 49, 51, 54 and 55.

Double Patenting

3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

4. Claims 49-55 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-2 of U.S. Patent No. 5,719,984 in view of Shimada et al ('772) as set forth in paragraph #3 of the Final Office Action mailed July 13, 2004.

Regarding claim 49 of this application, claim 1 of U.S. Patent No. 5,719,984 cites all the claimed limitations except for providing means for superimposing the image information and the ID information read out from the recording medium; wherein said

superimposing means has a first mode in which first type data contained in the ID data is superimposed with the image information, and a second mode in which the first type data and second type data contained in the ID data are both superimposed with the image information; and wherein the position at which the first type data is superimposed on a display screen of said display device in said first mode and the position at which the first type data is superimposed on the display screen in the second mode different from each other.

Shimada et al teaches an apparatus for recording additional video signal having means (col. 4, lines 1-21 and col. 5, lines 16-63) for superimposing the image information read out from the recording medium with the ID information read out from the recording medium; wherein said superimposing means has a first mode in which data of a first type contained in the ID data is superimposed with the image information, and a second mode in which the data of the first type and data of a second type contained in the ID data are both superimposed with the image information (col. 4, lines 1-21 and col. 5, lines 16-63); and wherein the position at which the data of the first type is superimposed on a display screen in said first mode and the position at with the data of the first type is superimposed on a display screen in the second mode different from each other (col. 4, lines 1-21 and col. 5, lines 16-63) so that the superimposing characters and so forth in a recording mode can be simplified (col. 1, lines 42-52).

It would have been obvious to one of ordinary skill in the art at the time of the invention to provide claim 1 of U.S. Patent No. 5,719,984 with the capability of superimposing characters on the video signal reproduced from the recording medium as

Application/Control Number: 08/926,882

Art Unit: 2616

taught by Shimada et al in order to simplify superimposing characters on the video signal in recording and reproducing modes.

Regarding claim 50 of this application, claim 2 of U.S. Patent No. 5,719,984 cites wherein the data of the first type is date information.

Regarding claim 51 of this application, claim 1 of U.S. Patent No. 5.719,984 cites all the claimed limitations except for providing reading means for reading the information signal and ID information of the information signal from the recording medium; conversion for converting the ID information read out by the reading means into a character information; setting means for setting a display mode for displaying the character information converted by the conversion means on the display device: superimposing means for superimposing the information signal with the character information converted by the conversion means to output the information signal superimposed with the character information to the display device; control means for changing a superimposing position on a display screen of the character information superimposed by the superimposing means according to a display mode set by the setting means; and wherein the control means vary, depending on the display mode, the position at which the character information is displayed, even when the character information is not changed in a reproducing mode for reproducing the information signal and the ID information.

Shimada et al teaches an apparatus for recording additional video signal having reading means (1 and 8 of Fig. 1, col. 5, lines 16-26) for reading the information signal and ID information of the information signal from the recording medium; conversion

Art Unit: 2616

means (14 of Fig. 1, col. 4, lines 34-40) for converting the ID information read out from the reading means into a character information; setting means (15 of Fig. 1, col. 5, lines 29-45) for setting a display mode of the character information converted by the conversion means on the display device; superimposing means (20 of Fig. 1, col. 5, lines 48-63) for superimposing the information signal with the character information converted by the conversion means to output the information signal superimposed with the character information to the display device; control means (15 and 18 of Fig. 1, col. 5, lines 29-63) for changing a superimposing position on a display screen of the character information superimposed by the superimposing means according to a display mode set by the setting means; and wherein the control means vary, depending on the display mode, the position at which the character information is displayed, even when the character information is not changed (col. 5, lines 16-63) so that the superimposing characters and so forth in a recording mode can be simplified (col. 1, lines 42-52).

It would have been obvious to one of ordinary skill in the art at the time of the invention to provide claim 1 of U.S. Patent No. 5,719,984 with the capability of superimposing characters on the video signal reproduced from the recording medium as taught by Shimada et al in order to simplify superimposing characters on the video signal in recording and reproducing modes.

Regarding claim 52, Shimada et al also discloses the claimed wherein the claimed setting means sets the display mode according to a number of items contained in the ID information (col. 4, lines 1-21 and col. 5, lines 29-63).

Regarding claim 53, the combination of claim 1 of U.S. Patent No. 5,719,984 and

Application/Control Number: 08/926,882

Art Unit: 2616

Shimada et al discloses all the features of the instant invention except for providing that the information signal recording in the recording medium is an image taken by an electronic camera and the ID information includes a date of image-taking.

The capability of using the electronic camera to recording an image and the date of image-taking is old and well known in the art and therefore Official Notice is taken.

It would have been obvious to one of ordinary skill in the art at the tie of the invention to incorporate the well known electronic camera into claim 1 of U.S. Patent No. 5,719,984 in order to record desired images.

The method claim 54 is rejected for the same reasons as discussed in the apparatus claim 49 above.

The method claim 55 is rejected for the same reasons as discussed in the apparatus claim 51 above.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 6. Claims 49, 51-52 and 54-55 are rejected under 35 U.S.C. 102(b) as being anticipated by Shimada et al ('772) as set forth in paragraph #5 of the Final Office Action mailed July 13, 2004.

Regarding claim 49, Shimada et al discloses a reproducing apparatus (Fig. 1) for reading out image information and ID data of the image information recorded with the

Application/Control Number: 08/926,882

Art Unit: 2616

image information from a recording medium to output the information and the ID data to a display device having means (1 and 8 of Fig. 1, col. 5, lines 16-26) for reading out the image information; means (20 of Fig. 1, col. 5, lines 48-63) for superimposing the image information and the ID data read out from the recording medium; and output means (28) of Fig. 1, col. 5, lines 48-54) for outputting the image information and the ID data superimposed by the superimposing means to the display device; wherein said superimposing means has a first mode in which first type data contained in the ID data is superimposed with the image information, and a second mode in which the first type data and second type data contained in the ID data are both superimposed with the image information (col. 4, lines 1-21 and col. 5, lines 16-63); and wherein the position at which the first type data is superimposed on a display screen of said display device in said first mode and the position at with the first type data is superimposed on the display screen in the second mode different from each other in a reproducing mode for reproducing the image information and the ID data (col. 4, lines 1-21 and col. 5, lines 16-63).

Regarding claim 51, Shimada discloses a reproducing apparatus (Fig. 1) for reading out information signal from a recording medium to output the signal to a display device having reading means (1 and 8 of Fig. 1, col. 5, lines 16-26) for reading the information signal and ID information of the information signal from the recording medium; conversion means (14 of Fig. 1, col. 4, lines 34-40) for converting the ID information read out by the reading means into a character information; setting means (15 of Fig. 1, col. 5, lines 29-45) for setting a display mode for displaying the character

Application/Control Number: 08/926,882 Page 10

Art Unit: 2616

information converted by the conversion means on the display device; superimposing means (20 of Fig. 1, col. 5, lines 48-63) for superimposing the information signal with the character information converted by the conversion means to output the information signal superimposed with the character information to the display device; control means (15 and 18 of Fig. 1, col. 5, lines 29-63) for changing a superimposing position on a display screen of the character information superimposed by the superimposing means according to a display mode set by the setting means; and wherein the control means vary, depending on the display mode, the position at which the character information is displayed, even when the character information is not changed in a reproducing mode for reproducing the information signal and the ID information (col. 5, lines 16-63).

Regarding claim 52, Shimada et al also discloses the claimed wherein the setting means sets the display mode according to a number of items contained in the ID information (col. 4, lines 1-21 and col. 5, lines 29-63).

The method claim 54 is rejected for the same reasons as discussed in the apparatus claim 49 above.

The method claim 55 is rejected for the same reasons as discussed in the apparatus claim 51 above.

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

8. Claims 50 and 53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shimada et al ('772) as set forth in paragraph #7 of the Final Office Action mailed July 13, 2004.

Regarding claim 50, Shimada et al discloses all the features of the instant invention (see the rejection of claim 49 above) except for providing that the common item is a date information.

Shimada et al teaches in col. 6, lines 3-9 that "according to the present invention, as described hereinabove, it becomes possible to additionally insert any of titles, subtitles, superimposed time indications, superimposed commercials, superimposed dialogues and still pictures by the technique of after-recording in a track region Sp formed for coded audio signal".

It would have been obvious to one of ordinary skill in the art at the time of the invention to record the date information in a track region Sp formed for coded audio signal since it merely amounts to selecting characters information.

Regarding claim 53, Shimada et al discloses all the features of the instant Invention (see the rejection of claim 51 above) except for providing that the information signal recording in the recording medium is an image taken by an electronic camera and the ID information includes a date of image-taking.

The capability of using the electronic camera to recording an image and the date of image-taking is old and well known in the art and therefore Official Notice is taken.

It would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the well-known electronic camera into Shimada et al's system in order to record desired images.

9. All claims are drawn to the same invention claimed in the application prior to the entry of the submission under 37 CFR 1.114 and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the application prior to entry under 37 CFR 1.114. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action after the filing of a request for continued examination and the submission under 37 CFR 1.114. See MPEP § 706.07(b).

Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 2616

the advisory action. In no, however, event will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thai Tran whose telephone number is (571) 272-7382. The examiner can normally be reached on Mon. to Friday, 8:00 AM to 5:30 PM.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TTQ